



Number	KIP-15069/E	Replaces	---
Issued	26-05-2016	Scope	Directive 92/42/EEC Regulation (EU) No. 813/2013
Report	150500511/1	Page	1 of 2
PIN	0476CR0511		

EC TYPE EXAMINATION CERTIFICATE

Kiwa Cermet Italia, notified body for council Directive 92/42/EEC, hereby declares that according to article 4 of commission regulation (EU) No. 813/2013 the products

Low temperature heating boilers with atomizing oil burner

Trade mark: **RIELLO**

Models: GITRE' 4, GITRE' 5, GITRE' 5 B/100, GITRE' 6,
GITRE' 4 LN, GITRE' 5 LN, GITRE' 5 B/100 LN,
GITRE' 6 LN

Manufactured by **Riello S.p.A.**
Legnago (VR), Italia

Have achieved the following (see Annex 1) full and part load efficiencies.

The assessment test have been performed using the following standards as guidelines:

EN 303-1:1999
EN 303-1/A1:2003
EN303-2:1998
EN303-2/A1:2003
EN15035:2006

The validity of this certificate can be verified by means of a register available on the website www.kiwa.it
This certificate will expire if there have been any changes to the product that may have an impact on compliance with the requirements of the Directive, as well as on updates and / or changes to the Technical Standards applicable unless specifically approved by Kiwa Cermet Italia


Kiwa Cermet Italia S.p.A.
Società con socio unico, soggetta all'attività di direzione e coordinamento di Kiwa Italia Holding Srl
Via Cadriano, 23
40057 Granarolo dell'Emilia (BO)
Unità secondaria
Via Treviso 32/34
31020 San Vendemiano (TV)
Tel +39. 0438 411755
Fax +39.0438 22428
E-mail: info@kiwacermet.it
www.kiwa.it
www.kiwacermet.it

GASTEC

Chief Operating Officer
Giampiero Belcredi



SGQ N° 007A
SSA N° 010D
PRD N° 069B
SSI N° 006G
FSM N° 004I



Organismo Notificato n. 0476



Number	KIP-15069/E	Replaces	---
Issued	26-05-2016	Scope	Directive 92/42/EEC Regulation (EU) No. 813/2013
Report	150500511/1	Page	2 of 2
PIN	0476CR0511		

EC TYPE EXAMINATION CERTIFICATE

ANNEX 1

Models:

	GITRE' 4	GITRE' 5	GITRE' 5 B/100	GITRE' 6
Full load 80/60°C	94,8 %	95,2 %	95,2 %	94,5 %
Part load at 37°C	96,9 %	96,1 %	96,1 %	95,6 %
C.Heater?	no	no	yes	no
B ₁ Boiler?	no	no	no	no
Type of boiler:	Low Temperature	Low Temperature	Low Temperature	Low Temperature
	GITRE' 4 LN	GITRE' 5 LN	GITRE' 5 B/100 LN	GITRE' 6 LN
Full load 80/60°C	95,3 %	96,1 %	96,1 %	96,2 %
Part load at 37°C	97,4 %	97,2 %	97,2 %	97,3 %
C.Heater?	no	no	yes	no
B ₁ Boiler?	no	no	no	no
Type of boiler:	Low Temperature	Low Temperature	Low Temperature	Low Temperature

Note:

C.Heater = Combination heater (Yes = with domestic hot water production / No = Heating system only)

B₁ Boiler = B₁ according CEN/TR 1749:2014

Type of boiler = "Condensig Boiler" or "Low Temperature Boiler" or Other Boiler"

Efficiency's values have been measured with oil.

(n.t.= not tested)

Kiwa Cermet Italia S.p.A.
Società con socio unico, soggetta all'attività di
direzione e coordinamento di Kiwa Italia
Holding Srl

Via Cadriano, 23
40057 Granarolo dell'Emilia (BO)

Unità secondaria

Via Treviso 32/34
31020 San Vendemiano (TV)

Tel +39. 0438 411755

Fax +39.0438 22428

E-mail: info@kiwacermet.it

www.kiwa.it

www.kiwacermet.it

GASTEC

(*) High-temperature regime means 60 °C return temperature at heater inlet and 80 °C feed temperature at heater outlet.

(**) Low temperature means for condensing boilers 30 °C, for low-temperature boilers 37 °C and for other heaters 50 °C return temperature (at heater inlet).