

Wisselstukken - Pièces détachées - Spare Parts

Reeks/Serie: Aansluiting/Connection 4/4' & 5/4'


Van Marcke Aqua O Matic Eri, Map, Aqua

SKU 286119 – 228 - 236 – 239 -241 – 243 – 246 – 249

Klep 4/4" en 5/4" Timerklep en aandrijving

Vanne 4/4" et 5/4" Tête commande et propulsion

Valve 4/4" and 5/4" Front cover and drive assembly




N°	AXAPTA	SKU	DESCRIPTION EN FRANCAIS	DESCRIPTION IN ENGLISH	OMSCHRIJVING IN NEDERLANDS
1a	5303010002		WS1WS Couvercle assy	WS1WS Front cover assembly	WS1WS Timerkap
1b	5303010011		WK & WN Couvercle assy blk/noname/bl	WK & WN Front cover assembly blk/noname/bl	WK & WN Timerkap blk/noname/bl
2	5303025068	286351	WS1 Moteur asy	WS1 Motor asy	WS1 Motor asy
3	5303025067	286416	WS1 Équerre de moteur & clip ressort	WS1 Drive bracket & spring clip	WS1 Timerplaat

4a	5303020133	286417	WS1 WV Carte électronique XMEGA	WS1 WV PC Board XMEGA	WS1 WV Printplaat XMEGA
4b	5303020134		WS1 WY Carte électronique XMEGA	WS1 WY PC Board XMEGA	WS1 WY Printplaat XMEGA
5	5303025074		WS1 Engrenage 12x36	WS1 Drive gear 12x36	WS1 Aandrijf wiel 12x36
6	5303025073		WS1 Couvercle d'engrenage	WS1 Drive gear cover	WS1 Deksel aandrijfwielen
	5303010015		WS1 WS Couvercle arrière	WS1 WS Drive back plate	WS1 WS Achterplaat
	5303017238		WS1 Transformateur 220V-15VDC (version européenne)	WS1 Adapter 220V-15VDC (European version)	WS1 Adapter 220V-15VDC (Europese versie)

Klep 4/4" en 5/4" Aandrijfdeksel, zuigers en afstandsringen

Vanne 4/4" et 5/4" Ensemble piston , cage, joint, guide axe de piston

Valve 4/4" and 5/4" Drive cap assembly, main piston, regeneratn piston and spacer stack




N°	AXAPTA		DESCRIPTION EN FRANCAIS	DESCRIPTION IN ENGLISH	OMSCHRIJVING IN NEDERLANDS
1	5303025054	286354	WS1 Ensemble cage et joint assy	WS1 Spacer stack assembly	WS1 Set afstandsringen
2	5303025053	286419	WS1 Guide axe de piston (Etrier) assy	WS1 Drive cap assembly	WS1 Aandrijfdeksel
3	5303023290	286420	O-Ring (joint) 228	O-Ring 228	O-Ring 228
4a	5303025064	286355	WS1 Piston down-flow (co-courant) assy	WS1 Piston downflow assembly	WS1 Downflow zuiger
4b	5303025065	286422	WS1 Piston up-flow (contre-courant) assy	WS1 Piston upflow assembly	WS1 Upflow zuiger
5	5303025104	286477	WS1 Piston de saumurage	WS1 Regenerant piston	WS1 Regenerantzuiger
6	5303023291	286421	O-Ring (joint) 337	O-Ring 337	O-Ring 337
	5303025110		WS1 Support de roue plate arrière	WS1 Drive back plate	WS1 Montageplaat
	5303022165		O-Ring 215 (joint de tube distributeur)	O-Ring 215 (distributer tube)	O-Ring 215 (stijgbuis)

Klep 4/4" en 5/4" Injectorsysteem

Vanne 4/4" et 5/4" Système de saumurage

Valve 4/4" and 5/4" Injector system




N°	AXAPTA		DESCRIPTION EN FRANCAIS	DESCRIPTION IN ENGLISH	OMSCHRIJVING IN NEDERLANDS
1	5303025108	286426	WS1 Bouchon d'injecteur	WS1 Injector cap	WS1 Injectorkap
2	5303029462	286423	O-Ring (joint) 135	O-Ring 135	O-Ring 135
3	5303025109	286425	WS1 Filtre d'injecteur	WS1 Injector screen	WS1 Injectorfiltre
4	5303024122	286424	WS1 Bouchon d'injecteur assy Z	WS1 Injector assembly Z Plug	WS1 Injectorstop Z
5	5303024111		WS1 Injecteur assemblé A Noir (6" co-courant ou 8" contre-courant)	WS1 Injector assembly A Black (6"Downflow or 8"upflow)	WS1 Injector A Zwart (6"Downflow of 8"upflow)
	5303024112	286427	WS1 Injecteur assemblé B Marron (7" co-courant ou 9" contre-courant)	WS1 Injector assembly B Brown (7"Downflow or 9"upflow)	WS1 Injector B Bruin (7"Downflow of 9"upflow)
	5303024113	286428	WS1 Injecteur assemblé C Violet (8" co-courant ou 10" contre-courant)	WS1 Injector assembly C Violet (8"Downflow or 10"upflow)	WS1 Injector C Violet (8"Downflow of 10"upflow)
	5303024114	286429	WS1 Injecteur assemblé D Rouge	WS1 Injector assembly D Red	WS1 Injector D Rood (9"Downflow of 12"upflow)

		(9" co-courant ou 12" contre-courant)	(9"Downflow or 12"upflow)	
5303024115	286430	WS1 Injecteur assemblé E Blanc (10" co-courant ou 13" contre-courant)	WS1 Injector assembly E White (10"Downflow or 13"upflow)	WS1 Injector E Wit (10"Downflow of 13"upflow)
5303024116	286431	WS1 Injecteur assemblé F Bleu (12" co-courant ou 14" contre-courant)	WS1 Injector assembly F Blue (12"Downflow or 14"upflow)	WS1 Injector F Blauw (12"Downflow of 14"upflow)
5303024117	286432	WS1 Injecteur assemblé G Jaune (13" co-courant ou 16" contre-courant)	WS1 Injector assembly G Yellow (13"Downflow or 16"upflow)	WS1 Injector G Geel (13"Downflow of 16"upflow)
5303024118	286433	WS1 Injecteur assemblé H Vert (14" co-courant ou 18" contre-courant)	WS1 Injector assembly H Green (14"Downflow or 18"upflow)	WS1 Injector H Groen (14"Downflow of 18"upflow)
5303024119	286434	WS1 Injecteur assemblé I Orange (16" co-courant ou 22" contre-courant)	WS1 Injector assembly I Orange (16"Downflow or 22"upflow)	WS1 Injector I Oranje (16"Downflow of 22"upflow)
5303024120	286435	WS1 Injecteur assemblé J Bleu clair (18" co-courant)	WS1 Injector assembly J Light blue (18" Downflow)	WS1 Injector J Lichtblauw (18" Downflow)
5303024121	286436	WS1 Injecteur assemblé K Vert clair (22" co-courant)	WS1 Injector assembly K Light green (22" Downflow)	WS1 Injector K Lichtgroen (22" Downflow)

Klep 4/4" en 5/4" Bijvuldebietbegrenzer

Vanne 4/4" et 5/4" Contrôleur de renvoi d'eau

Valve 4/4" and 5/4" Refill flow control




N°	AXAPTA		DESCRIPTION EN FRANCAIS	DESCRIPTION IN ENGLISH	OMSCHRIJVING IN NEDERLANDS
1	5303025125	286462	WS1 Bouchon de renvoi d'eau assy	WS1 Refill port plug assembly	WS1 Bijvulstop
2	5303025041	286438	Clip de maintien de coude	Elbow locking clip	Borgklem bocht
3	5303025044	286464	Insert 3/8" PE	Polytube insert 3/8"	Polytube inlegdeel 3/8"
4	5303025045	286465	Écrou de compression en 3/8"	Nut 3/8"	Wartel 3/8"
5	5303025040	286466	Bouchon de coude 3/8"	Elbow Cap 3/8"	Bocht 3/8"
6	5303024403	286467	O-Ring (joint) 019	O-Ring 019	O-Ring 019
7	5303025100	286468	WS1 Contrôleur de débit de renvoi (BLFC) assy	WS1 Refill flow control retainer assembly	WS1 RFC-Houder
8	5303025111	286463	WS1 Pastille du contrôleur de débit de renvoi (0.5 gpm)	WS1 Refill flow control	WS1 RFC (Bijvuldebietbegrenzer of Refill Flow Control)
	5303021011		WS1 Brine Elbow Asy with RFC	WS1 Brine Elbow Asy with RFC	WS1 Brine Elbow Asy with RFC

5303025043	286437	Coude en ½" avec écrou et insert	Elbow ½" with nut and insert	Bocht ½" met wartel en inlegdeel
------------	--------	----------------------------------	------------------------------	----------------------------------

Klep 4/4" en 5/4" Afvoerkit

Vanne 4/4" et 5/4" Contrôleur de mise à l'égout DLFC

Valve 4/4" and 5/4" Drain line flow control




N°	AXAPTA		DESCRIPTION EN FRANCAIS	DESCRIPTION IN ENGLISH	OMSCHRIJVING IN NEDERLANDS
1	5303025041	286438	Clip de blocage pour le coude	Elbow locking clip	Borgklem bocht
2	5303024090	286439	Insert polytube 5/8"	Polytube insert 5/8"	Polytube insert 5/8"
3	5303024088	286440	WS1 Ecrou en ¾" pour coude égout (En 5/8 x 1/2 PE)	WS1 Nut ¾" for drain elbow (In 5/8 x 1/2 PE)	WS1 Wartel ¾" voor afvoerbocht (In 5/8 x 1/2 PE)
4	5303025098	286441	WS1 Coude égout mâle ¾" assy	WS1 Drain elbow ¾" male assembly	WS1 Afvoerbocht ¾" mannelijk
5	5303024403	286467	O-Ring (joint) 019	O-Ring 019	O-Ring 019
6	5303025099	286442	WS1 Support de DLFC assy	WS1 DLFC Retainer assembly	WS1 DLFC-houder
7	5303024091		WS1 DLFC 007 (0.7 gpm) pour ¾"	WS1 DLFC 007 (0.7 gpm) for ¾"	WS1 DLFC 007 (0.7 gpm) voor ¾"
	5303024092		WS1 DLFC 010 (1.0 gpm) pour ¾"	WS1 DLFC 010 (1.0 gpm) for ¾"	WS1 DLFC 010 (1.0 gpm) voor ¾"

5303024093		WS1 DLFC 013 (1.3 gpm) pour ¾"	WS1 DLFC 013 (1.3 gpm) for ¾"	WS1 DLFC 013 (1.3 gpm) voor ¾"
5303024094	286443	WS1 DLFC 017 (1.7 gpm) pour ¾"	WS1 DLFC 017 (1.7 gpm) for ¾"	WS1 DLFC 017 (1.7 gpm) voor ¾"
5303024095		WS1 DLFC 022 (2.2 gpm) pour ¾"	WS1 DLFC 022 (2.2 gpm) for ¾"	WS1 DLFC 022 (2.2 gpm) voor ¾"
5303024096		WS1 DLFC 027 (2.7 gpm) pour ¾"	WS1 DLFC 027 (2.7 gpm) for ¾"	WS1 DLFC 027 (2.7 gpm) voor ¾"
5303024097	286444	WS1 DLFC 032 (3.2 gpm) pour ¾"	WS1 DLFC 032 (3.2 gpm) for ¾"	WS1 DLFC 032 (3.2 gpm) voor ¾"
5303024098	286445	WS1 DLFC 042 (4.2 gpm) pour ¾"	WS1 DLFC 042 (4.2 gpm) for ¾"	WS1 DLFC 042 (4.2 gpm) voor ¾"
5303024099	286446	WS1 DLFC 053 (5.3 gpm) pour ¾"	WS1 DLFC 053 (5.3 gpm) for ¾"	WS1 DLFC 053 (5.3 gpm) voor ¾"
5303024100	286447	WS1 DLFC 065 (6.5 gpm) pour ¾"	WS1 DLFC 065 (6.5 gpm) for ¾"	WS1 DLFC 065 (6.5 gpm) voor ¾"
5303024101	286448	WS1 DLFC 075 (7.5 gpm) pour ¾"	WS1 DLFC 075 (7.5 gpm) for ¾"	WS1 DLFC 075 (7.5 gpm) voor ¾"
5303024102		WS1 DLFC 090 (9.0 gpm) pour ¾"	WS1 DLFC 090 (9.0 gpm) for ¾"	WS1 DLFC 090 (9.0 gpm) voor ¾"
5303024103	286449	WS1 DLFC 010 (10.0 gpm) pour ¾"	WS1 DLFC 010 (10.0 gpm) for ¾"	WS1 DLFC 010 (10.0 gpm) voor ¾"

Klep 4/4" en 5/4" Waterteller

Vanne 4/4" et 5/4" Compteur volumétrique

Valve 4/4" and 5/4" Water meter and mixing valve




N°	AXAPTA		DESCRIPTION EN FRANCAIS	DESCRIPTION IN ENGLISH	OMSCHRIJVING IN NEDERLANDS
1	5303025096	286469	WS1 Écrou 1" connexion rapide	WS1 Nut 1" quick connect	WS1 Wartel 1" QC
2	5303025051	286358	WS1 Compteur assy	WS1 Meter assembly	WS1 Meter
3*	5303025088	286470	WS1 Turbine assy	WS1 Turbine assembly	WS1 Turbine
4*	5303022165	286471	O-Ring (joint) 215	O-Ring 215	O-Ring 215
5	5303025052	286170	WS1 Bouchon de compteur assy	WS1 Meter plug assembly	WS1 Meterstop
6	5303025066	286472	WS1 Vanne mixing assy	WS1 Mixing valve	Mixing

Klep 4/4" en 5/4" Fittings

Vanne 4/4" et 5/4" Coudes

Valve 4/4" and 5/4" Fittings




N°	AXAPTA		DESCRIPTION EN FRANCAIS	DESCRIPTION IN ENGLISH	OMSCHRIJVING IN NEDERLANDS
kit	5303024082	286475	WS1 Coude mâle BSPT 1" assemblé	WS1 Fitting 1" plastic male BSPT assembly	Installatie fitting compleet: Plastic BSPT koppeling mannelijk 1"
Kit	5303024081		WS1.25 Coude male BSPT 1.25" assemblé	WS1.25 Fitting male 1.25" BSPT assembly	Installatie fitting compleet: BSPT koppeling mannelijk 1.25"

Klep 4/4" en 5/4" Bypass

Vanne 4/4" et 5/4" Bypass

Valve 4/4" and 5/4" Bypass



N°	AXAPTA		DESCRIPTION EN FRANCAIS	DESCRIPTION IN ENGLISH	OMSCHRIJVING IN NEDERLANDS
kit	5303024075	286346	WS1 Bypass assy	WS1 Bypass assembly	WS1 Complete bypass
	5303028632		Service Spanner Wrench	Service Spanner Wrench	Service Spanner Wrench